

# Project #1

Due: Part 1: Thursday, April 16 - 1159 pm, Part 2: Monday, April 20 - 1159 pm.

## Goal

1. The goal of this assignment is to gain hands-on experience with the effect of buffer overflow, format string, and double free bugs. All work in this project must be done on the VMware virtual machine provided on the course website. You will need to download VMware Player from <http://www.vmware.com/products/player/>.
2. You are given the source code for seven exploitable programs (`/tmp/target1`, ..., `/tmp/target7`). These programs are to be installed as `setuid root` in the VMware virtual machine. Your goal is to write seven exploit programs (`spl0it1`, ..., `spl0it7`). Program `spl0it[i]` will execute program `/tmp/target[i]` giving it certain input that should result in a root shell on the VMware virtual machine..
3. The skeletons for `spl0it1`, ..., `spl0it7` are provided in the `spl0its/` directory. Note that the exploit programs are very short, so there is no need to write a lot of code here.

## The Environment

1. You will test your exploit programs within a VMware virtual machine. To do this, you will need to download the virtual machine image provided on the course website as well as VMware Player from VMware's website. VMware player can run on Linux, Mac OS X (VMware Fusion), and Windows, and is freely available.
2. The virtual machine we provide is configured with Debian Etch. We've left the package management system installed in the image, so should you need any other packages to do your work (e.g. `emacs`), you can install it with the command `apt-get` (e.g. `apt-get install emacs`).
3. The virtual machine is configured to use NAT (Network Address Translation) for networking. From the virtual machine, you can type `ifconfig` as root to see the IP address of the virtual machine. It should be listed under the field `inet addr:` under `eth0`.
4. The virtual machine also has an ssh server. You can ssh into the vm (virtual machine) from your machine, using the IP address produced by `ifconfig` (as above) as the destination. You can use this to transfer files onto the virtual machine using `scp` or an sftp client like SecureFX, which is available for free from University computing. Alternatively, you can fetch files directly from the web on the vm using `wget`.

## The Targets

1. The targets/ directory in the assignment tarball contains the source code for the targets, along with a Makefile specifying how they are to be built.
2. Your exploits should assume that the compiled target programs are installed setuid-root in /tmp – /tmp/target1, /tmp/target2, etc.

## The Exploits

The spoils/ directory in the assignment tarball contains skeleton source for the exploits which you are to write, along with a Makefile for building them. Also included is shellcode.h, which gives Aleph One's shellcode.

## The Assignment

You are to write exploits, one per target. Each exploit, when run in the virtual machine with its target installed setuid-root in /tmp, should yield a root shell (/bin/sh).

## Hints

1. Read Aleph One's "Smashing the Stack for Fun and Profit." Carefully. Draw diagrams so that you have a good understanding of what happens to the stack, program counter, and relevant registers before and after a function call. Other important papers/resources you should read/skim include:
  - (a) scut's - "Exploiting Format String Vulnerabilities"
  - (b) blexim's - "Basic Integer Overflows"
  - (c) anonymous - "Once upon a free()"
  - (d) c0ntex - "How to hijack the Global Offset Table with pointers for root shells"
  - (e) Intel - Intel Architecture Guide for Software Developers

All the papers should be linked from the course syllabus, or easily found through Google. It will be helpful to have a solid understanding of the basic buffer overflow exploits before reading the more advanced exploits.

2. gdb is your best friend in this assignment, particularly to understand what's going on. Specifically, note the "disassemble" and "stepi" commands. You may find the 'x' command useful to examine memory (and the different ways you can print the contents such as /a /i after x). The 'info register' command is helpful in printing out the contents of registers such as ebp and esp.

A useful way to run gdb is to use the -e and -s command line flags; for example, the command 'gdb -e exploit3 -s /tmp/target3' in the vm tells gdb to execute exploit3 and use the symbol file in target3. These flags let you trace the execution of the target3 after the exploit has forked off the execve process. When running gdb using these command line flags,

be sure to first issue 'catch exec' then 'run' the program before you set any breakpoints; the command 'run' naturally breaks the execution at the first `execve` call before the target is actually exec-ed, so you can set your breakpoints when gdb catches the `execve`. Note that if you try to set break points before entering the command 'run', you'll get a segmentation fault.

If you wish, you can instrument your code with arbitrary assembly using the `__asm__()` pseudofunction.

3. Make sure that your exploits work within the provided virtual machine.
4. Start early. Theoretical knowledge of exploits does not readily translate into the ability to write working exploits. Target1 is relatively simple and the other problems are quite a bit more complicated.

## Warnings

Aleph One gives code that calculates addresses on the target's stack based on addresses on the exploit's stack. Addresses on the exploit's stack can change based on how the exploit is executed (working directory, arguments, environment, etc.); in my testing, I do not guarantee to execute your exploits as bash does.

You must therefore hard-code target stack locations in your exploits. You should *\*not\** use a function such as `get_sp()` in the exploits you hand in.

## Deliverables

1. To encourage students to start on the project early, part 1 consists of target1 and target2. Part 2 consists of the other 5 targets.
2. You are to provide a tarball (i.e., a `.tar.gz` or `.tar.bz2` file) containing the source files and Makefile for building your exploits. All the exploits should build if the "make" command is issued.
3. There should be no directory structure: all files in the tarball should be in its root directory. (Run tar from inside the `splits/` directory.)
4. Along with your exploits, you must include file called ID which contains, on a single line, the following: your SUID number; your Leland username; and your name, in the format last name, comma, first name. An example:

```
$ cat ./ID
3133757 hermann Buhl, Hermann
$
```

If you did the project with a partner, then both of you will submit only one solution and the ID file will have two lines giving the relevant information.

You may want to include a README file with comments about your experiences or suggestions for improving the assignment.

5. Instructions for submitting the tarball will be posted on the course website. Again, make sure that you test your exploits within the provided virtual machine.

## Late Policy

Every student in the class is given a total of 72 late hours that can be applied to the projects and homeworks. These late hours must be taken in chunks of 24 hours (essentially 3 late days) — for example, submitting a homework 3 hours later than it's due counts as 24 late hours used. After all your late hours are used up, the assignment score gets halved with every 24 hours the assignment is late — for example, someone submitting a project 47 hours late after having used all her late days will get  $(1/2)^2 = 1/4$  of the grade. If a project has more than one part, each part is considered a separate assignment for late days — for example, if you submit part 1 72 hours late and part 2 24 hours late, then part 1 gets full credit and part 2 gets 50% credit.

Note that no late hours can be used on the last programming project.

## How to set up the Environment

I will be showing you how to set up the environment and solving a overflow problem in section. The problem I'm solving is essentially identical to target1, so come to section if you want a jump start. If you want an earlier start, here are the following steps that I take to set up the environment.

1. Download and install VMware player from <http://www.vmware.com/products/player/> (for Windows and Linux) or VMware Fusion from <http://www.vmware.com/download/fusion/> (for Mac OS X).
2. Download the VMware virtual machine tarball (box.tar.bz2).
3. Decompress the virtual machine tarball, then open the file box.vmx using VMware Player. If VMware Player asks you if you moved or copied the virtual machine, say that you copied it.
4. Login to the virtual machine. There are two accounts, `root` with the password `root`, and `user` with the password `user`.
5. Ensure that networking is working by typing `ifconfig` and checking that the `inet addr:` field of `eth0` has a valid IP address. Make sure you can reach the machine by attempting to ssh into it.
6. Download the project 1 tarball (cs155-pp1.tar.bz2) onto the virtual machine. You can do this by downloading the tarball first, then using `scp` or an sftp client to transfer the files onto the vm. Alternatively, log in as root to the vm and type

```
box:~# wget http://crypto.stanford.edu/cs155/hw_and_proj/cs155-pp1.tar.bz2
```

7. Copy the `spl0its/` directory to the user's home directory (and make sure to set the ownership so that user can access them `'chown -R user:user spl0its'`), and the contents of the `targets/` directory to `/tmp`. In `/tmp`, make the targets then apply the following commands to set up the permissions so that the targets are owned by root, are setuid root, and the `.c`

files are publicly readable. Doing this correctly will allow gdb to read the source files while you are debugging.

```
box:/tmp# chown root:root target? ; chmod 4755 target? ; chmod a+r target?.c
```

8. Everytime you reboot the vm, you'll have to set up the targets in vm's /tmp because it'll be wiped clean.